

GLOBALTRONIC

PANDUIT™

โครงสร้างพื้นฐาน พร้อมรองรับทุกการเติบโต



4 Hour Response

ตอบกลับรวดเร็วภายใน 4 ชั่วโมง



Same Day Delivery

บริการส่งสินค้าเร็วภายในวันสำหรับกรุงเทพฯ และปริมณฑล



Comply Specification Services

บริการให้คำปรึกษาสเปกสินค้า ถอดแบบ เปรียบเทียบ



Up to 25 Years Warranty

สิทธิ์การรับประกันสำหรับผู้ติดตั้งที่ผ่านการรับรอง



COPPER CABLING

CAT 6A, 6, 5e



FIBER CABLING

OM3, OM4, OS2



NETWORK CONNECTIVITY

Patch Panels, Jacks, Cords



CABLE MANAGEMENT

Organize, Protect, Optimize



QUALITY
YOU CAN TRUST



GLOBAL LEADER IN
INFRASTRUCTURE



LOCAL TECHNICAL
SUPPORT



085-484-5202



@globaltronic



www.gti.co.th

PANDUIT™

ครอบคลุมอุตสาหกรรมทั่วโลก

Data Center | Education | Healthcare | Energy |
Automotive | Manufacturing | Enterprise Network



END-TO-END SOLUTION VENDOR


โซลูชันครบวงจรด้านผลิตภัณฑ์
ระบบสัญญาณ Copper, Fiber
ตู้แร็ค และอุปกรณ์เสริมอื่น ๆ

25 YEARS WARRANTY

For Certified Installer
รับประกันสินค้ามากกว่า 25 ปี
สำหรับผู้ติดตั้งที่ผ่านการรับรอง

GLOBAL STANDARD ISO 9001, IATF 16949

มาตรฐานสากล น่าเชื่อถือ
มุ่งเน้นความเสถียรของระบบ



CABLE MANAGEMENT & RACEWAY



RACK & GABLE MANAGEMENT




COPPER CONNECTIVITY SOLUTIONS




FIBER CONNECTIVITY SOLUTIONS




IDENTIFICATION & LABELING




RELIABLE
High performance and
standards compliant



SCALABLE
Flexible design for
future growth



EASY TO MANAGE
Organized infrastructure
saves time and cost



TRUSTED SOLUTIONS
Backed by Panduit
quality and innovation





ผู้จัดจำหน่ายสินค้าอุตสาหกรรมด้าน อะไหล่อิเล็กทรอนิกส์ อุปกรณ์ไฟฟ้า และโซลาร์



**Electronic
Components**



**Electrical
Equipment**



**Solar
Solutions**



SAME DAY DELIVERY

บริการจัดส่งภายในวันสำหรับกรุงเทพฯ และปริมณฑล



4 HOUR RESPONSES

ตอบกลับรวดเร็วภายใน 4 ชั่วโมง



25 YEAR WARRANTY

สิทธิ์การรับประกันสำหรับผู้ติดตั้งที่ผ่านการรับรอง



COMPLY SPECIFICATION

บริการให้คำปรึกษาแปลสินค้า ถอดแบบ เปรียบเทียบ



PROJECT REGISTRATION

ลงทะเบียนโปรเจกต์กับแบรนด์



TECHNICAL TRAINING

บริการอบรมเชิงเทคนิค นำไปใช้งานจริงได้อย่างมั่นใจ

AUTHORIZED & PARTNER BRAND



Copper Cable



NUC6C04BU-FE



PUL6AH04BU-EG



PFL6X04BU-CEG

Part Number	Description	UOM	MOQ	Price	Lead-time
Unshielded					
NUC6C04BU-FE	CAT 6, U/UTP 4-Pair 24 AWG, CM, blue, 305m.	Box	24	5,113	IN STOCK
NUL6X04BU-VEG	CAT 6A, U/UTP 4-Pair 23AWG, LSZH, blue, 305m.	Reel	24	On Request	IN STOCK
NUL6C04BU-FE	CAT 6, U/UTP 4-Pair 24AWG, LSZH, blue, 305m.	Box	24	On Request	IN STOCK
PUC6004BU-FE	CAT 6, U/UTP 4-Pair, 23 AWG, LSZH, blue, 305m.	Box	24	On Request	IN STOCK
shielded					
PFL6X04BU-CEG	CAT 6A F/UTP cable, 23 AWG, blue, LSZH, 305m.	Reel	18	On Request	4-6 wks
PFC6004BU-G	CAT 6 F/UTP cable, 23 AWG, blue, cm, 305m.	Reel	12	On Request	4-6 wks

Note: F/UTP means Foil around Unshielded Twisted Pairs = shielded cable.
LSZH means Low Smoke Zero Halogen.

RJ45 Jack module



NK688MBU

Part Number	Description	UOM	MOQ	Price	Lead-time
NK688MBU	CAT 6 RJ45 modular jack, blue	Pcs	50	137	IN STOCK
NK688MWH	CAT 6 RJ45 modular jack, white	Pcs	50	137	IN STOCK
NK688MBL	CAT 6 RJ45 modular jack, black	Pcs	50	137	IN STOCK



NK6X88MBU

Part Number	Description	UOM	MOQ	Price	Lead-time
NK6X88MBU	Cat 6A RJ45 modular jack, blue	Pcs	50	232	IN STOCK
NK6X88M	Cat 6A RJ45 modular jack, white	Pcs	50	232	IN STOCK
NK6X88MBL	Cat 6A RJ45 modular jack, black	Pcs	50	232	IN STOCK



SP688-C

Part Number	Description	UOM	MOQ	Price	Lead-time
SP688-C	CAT 6 plug, pack of 100 Pan-Plug® modular plug, category 6, 23-24 AWG, 100 pack	Pcs	1	37	IN STOCK
SP6X88-C	CAT 6A plug, pack of 100 Pan-Plug® modular plug, category 6A, 23-24 AWG, 100 pack	Pcs	1	88	IN STOCK



MP588-C

Part Number	Description	UOM	MOQ	Price	Lead-time
MP588-C	CAT 5e/6 plug, pack of 100 Pan-Plug® category 5e UTP modular plug	Pcs	50	On Request	4-6 wks



CJ6X88TG



CJ688TG

Part Number	Description	UOM	MOQ	Price	Lead-time
Unshielded					
CJ6X88TG**	CAT 6A RJ45 UTP Mini-Com™ jack.	Pcs	100	On Request	4-6 wks
CJLR6X88TG**	CAT 6A RJ45 UTP Mini-Com™ jack, 45° left/right termination cap.	Pcs	100	On Request	4-6 wks
CJUD6X88TG**	CAT 6A RJ45 UTP Mini-Com™ jack, 45° up/down termination cap	Pcs	100	On Request	4-6 wks

CJ688TG**	CAT 6 RJ45 UTP Mini-Com™ jack.	Pcs	100	On Request	4-6 wks
CJLR688TG**	CAT 6 RJ45 UTP Mini-Com™ jack, 45° left/right termination cap.	Pcs	100	On Request	4-6 wks
CJUD688TG**	CAT 6 RJ45 UTP Mini-Com™ jack, 45° up/down termination cap.	Pcs	100	On Request	4-6 wks
Shielded					
CJS6X88TGY	CAT 6A RJ45 shielded Mini-Com™ jack, black.	Pcs	100	On Request	4-6 wks

Denotes jacket colour.

BU = blue, IG = gray, RD = red, GR = green, YL = yellow

Contact Customer Service for other colours and lengths

Termination Cap



CJLR6X88TG



CJUD6X88TG

Part Number	Description	UOM	MOQ	Price	Lead-time
left/right					
CJLR6X88TG**	CAT 6A 45° angled left/right TG wire cap, blue.	Pcs	100	On Request	4-6 wks
CJLR6X88TGW**	CAT 6 45° angled left/right TG wire cap, international white.	Pcs	100	On Request	4-6 wks
CJSLR6X88TG**	CAT 6A shielded 45° angled left/right TG wire cap, blue.	Pcs	100	On Request	4-6 wks
up/down					
CJUD6X88TG**	CAT 6A 45° angled up/down TG wire cap, blue.	Pcs	100	On Request	4-6 wks
CJUD6X88TGW**	CAT 6 45° angled up/down TG wire cap, international white.	Pcs	100	On Request	4-6 wks
CJSUD6X88TG**	CAT 6A shielded 45° angled up/down TG wire cap, blue.	Pcs	100	On Request	4-6 wks
CPUD6X88TG**	CAT 6A 45° angled up/down wire cap for field term plug.	Pcs	100	On Request	4-6 wks

Denotes jacket colour.

BU = blue, IG = gray, RD = red, GR = green, YL = yellow

Contact Customer Service for other colours and lengths

Contact Customer Service for part number information for RJ45 jack modules with 45 degree angled termination caps, additional colours and bulk packs.

Field Term RJ45 Plug



FP6X88MTG



FPS6X88MTG

Part Number	Description	UOM	MOQ	Price	Lead-time
Straight Cable Entry					
FP6X88MTG**	CAT 6A UTP field term RJ45 plug.	Pcs	50	On Request	4-6 wks
FP6X88MTG-X**	CAT 6A UTP field term RJ45 plug, package of ten.	Pcs	100	On Request	4-6 wks
Angled Cable Entry					
FPUD6X88MTG**	CAT 6A UTP angled field term RJ45 plug.	Pcs	50	On Request	4-6 wks
FPUD6X88MTG-X**	CAT 6A UTP angled field term RJ45 plug, package of ten.	Pcs	100	On Request	4-6 wks
Straight Cable Entry – Shielded					
FPS6X88MTG**	CAT 6A shielded field term RJ45 plug.	Pcs	50	On Request	4-6 wks
FPS6X88MTG-X**	CAT 6A shielded field term RJ45 plug, package of ten.	Pcs	100	On Request	4-6 wks
Test Cord					
FP6X88TC**	Field term RJ45 plug test cord, red, 1 metre.	Metre	1	On Request	4-6 wks

Denotes jacket colour.

BU = blue, IG = gray, RD = red, GR = green, YL = yellow

Contact Customer Service for other colours and lengths

Patch Cords



NKU6PC1MBU

Part Number	Description	UOM	MOQ	Price	Lead-time
NKU6PC1M**	CAT 6 UTP patch cord 1m NetKey® Category 6 UTP patch cord, 1m	Pcs	10	117	IN STOCK
NKU6PC2M**	CAT 6 UTP patch cord, 2m NetKey® Category 6 UTP patch cord, 2m	Pcs	10	138	IN STOCK
NKU6PC3M**	CAT 6 UTP patch cord, 3m NetKey® Category 6 UTP patch cord, 3m	Pcs	10	170	IN STOCK
NKU6PC5M**	CAT 6 UTP patch cord, 5m NetKey® Category 6 UTP patch cord, 5m	Pcs	10	235	IN STOCK
NKU6PC10M**	CAT 6 UTP patch cord, 10m NetKey® Category 6 UTP patch cord, 10m	Pcs	10	On Request	4-6 wks

Denotes jacket colour.

BU = blue, IG = gray, RD = red, GR = green, YL = yellow

Contact Customer Service for other colours and lengths



NKU6APC1MBU

Part Number	Description	UOM	MOQ	Price	Lead-time
NKU6APC1M**	CAT 6A UTP patch cord, 1m NetKey® Category 6A UTP patch cord, 1m	Pcs	10	163	IN STOCK
NKU6APC2M**	CAT 6A UTP patch cord, 2m NetKey® Category 6A UTP patch cord, 2m	Pcs	10	185	IN STOCK
NKU6APC3M**	CAT 6A UTP patch cord, 3m NetKey® Category 6A UTP patch cord, 3m	Pcs	10	224	IN STOCK
NKU6APC5M**	CAT 6A UTP patch cord, 5m NetKey® Category 6A UTP patch cord, 5m	Pcs	10	322	IN STOCK
NKU6APC10M**	CAT 6A UTP patch cord, 10m NetKey® Category 6A UTP patch cord, 10m	Pcs	10	On Request	4-6 wks

Denotes jacket colour.

BU = blue, IG = gray, RD = red, GR = green, YL = yellow

Contact Customer Service for other colours and lengths



UTP28SP8INBU

Part Number	Description	UOM	MOQ	Price	Lead-time
UTP28SP8IN**	CAT 6 28AWG UTP patch cord, 8in (20.32cm.) TX6-28™ Category 6 UTP performance patch cord, 8in	Pcs	10	On Request	4-6 wks
UTP28SP1M**	CAT 6 28AWG UTP patch cord, 1m TX6-28™ Category 6 UTP performance patch cord, 1m	Pcs	10	On Request	4-6 wks
UTP28SP2M**	CAT 6 28AWG UTP patch cord, 2m TX6-28™ Category 6 UTP performance patch cord, 2m	Pcs	10	On Request	4-6 wks
UTP28SP3M**	CAT 6 28AWG UTP patch cord, 3m TX6-28™ Category 6 UTP performance patch cord, 3m	Pcs	10	On Request	4-6 wks
UTP28SP5M**	CAT 6 28AWG UTP patch cord, 5m TX6-28™ Category 6 UTP performance patch cord, 5m	Pcs	10	On Request	4-6 wks

Denotes jacket colour.

BU = blue, IG = gray, RD = red, GR = green, YL = yellow

Contact Customer Service for other colours and lengths



UTP28SP6IN

Part Number	Description	UOM	MOQ	Price	Lead-time
UTP28SP6IN**	CAT 6 UTP 28 AWG patch cord, CM/LSZH, 150mm.	Pcs	10	On Request	4-6 wks
UTP28SP8IN**	CAT 6 UTP 28 AWG patch cord, CM/LSZH, 200mm.	Pcs	10	On Request	4-6 wks
UTP28SP1M**	CAT 6 UTP 28 AWG patch cord, CM/LSZH, 1m.	Pcs	10	On Request	4-6 wks
UTP28SP2M**	CAT 6 UTP 28 AWG patch cord, CM/LSZH, 2m.	Pcs	10	On Request	4-6 wks
UTP28SP3M**	CAT 6 UTP 28 AWG patch cord, CM/LSZH, 3m.	Pcs	10	On Request	4-6 wks

Denotes jacket colour.

BU = blue, IG = gray, RD = red, GR = green, YL = yellow

Contact Customer Service for other colours and lengths



UTP28X

Part Number	Description	UOM	MOQ	Price	Lead-time
UTP28X6IN**	CAT 6A 28 AWG patch cord, CM/LSZH, 150mm.	Pcs	10	On Request	4-6 wks
UTP28X8IN**	CAT 6A 28 AWG patch cord, CM/LSZH, 200mm.	Pcs	10	On Request	4-6 wks
UTP28X1M**	CAT 6A 28 AWG patch cord, CM/LSZH, 1m.	Pcs	10	On Request	4-6 wks
UTP28X2M**	CAT 6A 28 AWG patch cord, CM/LSZH, 2m.	Pcs	10	On Request	4-6 wks
UTP28X3M**	CAT 6A 28 AWG patch cord, CM/LSZH, 3m.	Pcs	10	On Request	4-6 wks

Denotes jacket colour.

BU = blue, IG = gray, RD = red, GR = green, YL = yellow

Contact Customer Service for other colours and lengths



STP28X

Part Number	Description	UOM	MOQ	Price	Lead-time
STP28X0.2M**	CAT 6A 28 AWG, F/UTP patch cord, CM/LSZH, 200mm.	Pcs	10	On Request	4-6 wks
STP28X1M**	CAT 6A 28 AWG, F/UTP patch cord, CM/LSZH, 1m.	Pcs	10	On Request	4-6 wks
STP28X2M**	CAT 6A 28 AWG, F/UTP patch cord, CM/LSZH, 2m.	Pcs	10	On Request	4-6 wks
STP28X3M**	CAT 6A 28 AWG, F/UTP patch cord, CM/LSZH, 3m.	Pcs	10	On Request	4-6 wks

Denotes jacket colour.

BU = blue, IG = gray, RD = red, GR = green, YL = yellow

Contact Customer Service for other colours and lengths

Patch Panel, Kits and Accessories



NKFPL48



NKPP48HDY



NKFPL24



WMPFSE



SRB19BLY

Part Number	Description	UOM	MOQ	Price	Lead-time
NKFPL48	48-port UTP patch panel, 2RU, unloaded NetKey® 48-Port Flush Mount Modular Patch Panel, 2RU	Pcs	10	On Request	4-6 wks
NKPP48HDY	48-port UTP patch panel, 1RU, unloaded NetKey® 48-Port High-Density Modular Patch Panel, 1RU	Pcs	10	On Request	4-6 wks

Part Number	Description	UOM	MOQ	Price	Lead-time
NKFPL24	24-port UTP patch panel, 1RU, unloaded NetKey® Patch Panel, Front Access, Flat, 24-Port, Black, Labels	Pcs	10	557	IN STOCK

Part Number	Description	UOM	MOQ	Price	Lead-time
WMPFSE	Horizontal cable manager, front only, 1RU PatchLink™ Horizontal Single-Sided Manager, 1RU, 3.7 in. Depth	Pcs	10	765	IN STOCK

Part Number	Description	UOM	MOQ	Price	Lead-time
SRB19BLY	Strain relief bar Strain Relief Bar, 2 Inch Depth	Pcs	10	273	IN STOCK



CPPL24WBLY



CPPLA24WBLY



CPPLA48WBLY



CPP48HDWBLY

Part Number	Description	UOM	MOQ	Price	Lead-time
Modular					
CPPL24WBLY	24-Port patch panel with labels, with six CFFPL4 faceplates.	Pcs	10	On Request	4-6 wks
CPPLA24WBLY	24-Port angled patch panel with labels, with six CFFPL4 faceplates.	Pcs	10	On Request	4-6 wks
CPPL48WBLY	48-Port angled patch panel with labels, with twelve CFFPL4 faceplates.	Pcs	10	On Request	4-6 wks
CPPLA48WBLY	48-Port patch panel with labels, with twelve CFFPL4 faceplates.	Pcs	10	On Request	4-6 wks
CPP48HDWBLY	48-Port high-density patch panel, with rear-mounted faceplates.	Pcs	10	On Request	4-6 wks
CPPA48HDWBLY	48-Port angled high-density patch panel, With rear-mounted faceplates.	Pcs	10	On Request	4-6 wks
CP24BLY	24-Port all-metal shielded patch panel.	Pcs	10	On Request	4-6 wks
CPA24BLY	24-Port angled all-metal shielded patch panel.	Pcs	10	On Request	4-6 wks

Faceplate



NK1FIWY



NK2FIWY



NKFPL86F1SAW



NKFPL86F2SAW

Part Number	Description	UOM	MOQ	Price	Lead-time
NK1FIWY	Faceplate 1-port US style, off white, unloaded NetKey® Faceplate, Label pocket, 1 Port, Off white	Pcs	10	60	4-6 wks

Part Number	Description	UOM	MOQ	Price	Lead-time
NK2FIWY	Faceplate 2-port US style, off white, unloaded NetKey® Faceplate, Label pocket, 1 Port, Off white	Pcs	10	60	4-6 wks

Part Number	Description	UOM	MOQ	Price	Lead-time
NKFPL86F1SAW	Faceplate 1-port UK style, shuttered, off white, unloaded NetKey® 86mm x 86mm Single port flat shuttered faceplate	Pcs	10	On Request	4-6 wks

Part Number	Description	UOM	MOQ	Price	Lead-time
NKFPL86F2SAW	Faceplate 2-port UK style, shuttered, off white, unloaded NetKey® 86mm x 86mm Double port flat shuttered faceplate	Pcs	10	On Request	4-6 wks

Blank Modules



CMBBL-X

Part Number	Description	UOM	MOQ	Price	Lead-Time
CMBBL-X	Mini-Com 1-port Blank Module, black	Pcs	10	On Request	4-6 wks
CMBIW-X	Mini-Com 1-port Blank Module, off white	Pcs	10	On Request	4-6 wks

Contact Panduit Customer Service for other colours.

Fibre Optic Cable Indoor



FLKLZ06

Part Number	Description	UOM	MOQ	Price	Lead-time
FLKLZ06	6-Fibre, OM4, LSZH, tight buffered.	Metre	1000	On Request	4-6 wks
FLKLZ12	12-Fibre, OM4, LSZH, tight buffered.	Metre	1000	On Request	4-6 wks
FLKLZ24	24-Fibre, OM4, LSZH, tight buffered.	Metre	1000	On Request	4-6 wks
FLKLX06	6-Fibre, OM3, LSZH, tight buffered.	Metre	1000	On Request	4-6 wks
FLKLX12	12-Fibre, OM3, LSZH, tight buffered.	Metre	1000	On Request	4-6 wks
FLKLX24	24-Fibre, OM3, LSZH, tight buffered.	Metre	1000	On Request	4-6 wks
FLKL906	6-Fibre, OS2, LSZH, tight buffered.	Metre	1000	On Request	4-6 wks
FLKL912	12-Fibre, OS2, LSZH, tight buffered.	Metre	1000	On Request	4-6 wks
FLKL924	24-Fibre, OS2, LSZH, tight buffered.	Metre	1000	On Request	4-6 wks

Fiber Adapter Enclosures



FRE1UBL

Part Number	Description	UOM	MOQ	Price	Lead-time
FD1W6BUDSCZ	Opticom pre-loaded fiber drawers singlemode , SC12	Pcs	1	On Request	4-6 wks
FD1W12BUDSCZ	Opticom pre-loaded fiber drawers singlemode , SC24	Pcs	1	On Request	4-6 wks
FD1W24BUDSCZ	Opticom pre-loaded fiber drawers singlemode , SC48	Pcs	1	On Request	4-6 wks
FD1W12BUDLCZ	Opticom pre-loaded fiber drawers singlemode , LC24	Pcs	1	On Request	4-6 wks
FD1W24BUDLCZ	Opticom pre-loaded fiber drawers singlemode , LC48	Pcs	1	On Request	4-6 wks



FD1W6AQDSCZ

Part Number	Description	UOM	MOQ	Price	Lead-time
FD1W6AQDSCZ	Opticom pre-loaded fiber drawers multimode , SC12	Pcs	1	On Request	4-6 wks
FD1W12AQDSCZ	Opticom pre-loaded fiber drawers multimode , SC24	Pcs	1	On Request	4-6 wks
FD1W24AQDSCZ	Opticom pre-loaded fiber drawers singlemode , SC48	Pcs	1	On Request	4-6 wks
FD1W12AQDLCZ	Opticom pre-loaded fiber drawers multimode , LC12	Pcs	1	On Request	4-6 wks
FD1W24AQDLCZ	Opticom pre-loaded fiber drawers singlemode , LC48	Pcs	1	On Request	4-6 wks



FSC24

Part Number	Description	UOM	MOQ	Price	Lead-time
FSC24	Fibre splice chip accommodates and protects up to 24 fusion splices, suite wall-mount or rack-mount enclosure.	Pcs	1	On Request	4-6 wks



FAP6WAQDSCZ

Part Number	Description	UOM	MOQ	Price	Lead-time
FAP6WAQDSCZ	OM3/OM4 Fibre adapterpanel with six SC duplex(Aqua) adapters, zirconia.	Pcs	1	On Request	4-6 wks
FAP6WBUDSCZ	OS2 Fibre adapterv panel with six SC duplex(blue) adapters, zirconia.	Pcs	1	On Request	4-6 wks
FAP6WAQDLCZ	OM3/OM4 Fibre adapter panel with six LC duplex(Aqua) adapters, zirconia.	Pcs	1	On Request	4-6 wks
FAP6WBUDLCZ	OS2 Fibre adapter panel with six LC duplex(blue) adapters, zirconia.	Pcs	1	On Request	4-6 wks
FAP12WBUDLCZ	OS2 Fibre adapter panel with six LC duplex(blue) adapters, zirconia.	Pcs	1	On Request	4-6 wks

Fibre Pigtail Sets



NKFPX1BN3NNM001



NKFPZ1BN1NNM001

Part Number	Description	UOM	MOQ	Price	Lead-time
NKFPX1BN3NNM001	OM3 1-fibre, 900μ, buffered, SC to pigtail, 1m.	Pcs	10	On Request	4-6 wks
NKFP91BN3NNM001	OS2 1-fibre, 900μbuffered, SC to pigtail, 1m.	Pcs	10	On Request	4-6 wks
NKFPZ1BN1NNM001	OM4 1-fibre, 900μ, buffered, LC to pigtail, 1m.	Pcs	10	On Request	4-6 wks
NKFP91BN1NNM001	OS2 1-fibre, 900μ, LC to pigtail, 1m.	Pcs	10	On Request	4-6 wks
NKFPZ1BN1NKM001	OM4 1-fibre, 900μ, buffered, LC to pigtail, 1m, (colour coded set of 12).	Pcs	25	On Request	4-6 wks
NKFP91BN1NKM001	OS2 1-fibre, 900μ, buffered, LC to pigtail, 1m, (colour coded set of 12).	Pcs	25	On Request	4-6 wks

Racks , Shelves, and Accessories



R4PCN



R2P



WMPSE



TLBPIS-V

Part Number	Description	UOM	MOQ	Price	Lead-time
Racks					
R2P	2 post rack, 45 RU with threaded rails.	Pcs	1	On Request	4-6 wks
R4PCN	4 post rack, 45 RU with cage nut rails, 760mm deep.	Pcs	1	On Request	4-6 wks
Shelves					
SRM19FM1	Front mount shelf, 1 RU, 480mm deep.	Pcs	1	On Request	4-6 wks
RSHLF	Front and rear mount shelf, 1 RU, 760mm deep.	Pcs	1	On Request	4-6 wks
Rack Accessories					
SI224-C	#12-24 screws.	Pcs	1000	On Request	4-6 wks
CNWSI224-C	#12-24 cage nut with screws.	Pcs	1000	On Request	4-6 wks
CNWSM6-C	M6 cage nut with screws.	Pcs	1000	On Request	4-6 wks
R2PPDUB	PDU mounting kit, suits 2 post rack.	Pcs	1	On Request	4-6 wks
CVPDUB	PDU mounting kit, suits 4 post rack.	Pcs	1	On Request	4-6 wks
Grounding					
RGCBNJ660P22	Common bonding jumper with H-TAP - HTCT2-2-1 connector	Pcs	10	On Request	4-6 wks
RGCBNJ660PY	Common bonding jumper with H-TAP - HTCT250-2-1 connector	Pcs	10	On Request	4-6 wks
RGS134-1Y	Grounding strip for threaded rails.	Pcs	10	On Request	4-6 wks
RGS134B-1	Grounding strip for caged nut rails.	Pcs	10	On Request	4-6 wks
RGESDWS	ESD wrist strap with 6' coil cord, banana plug.	Pcs	10	On Request	4-6 wks
RGESD2-1	ESD port for threaded rail.	Pcs	10	On Request	4-6 wks
RGESD2B-1	ESD port for caged nut rail.	Pcs	10	On Request	4-6 wks
RGRB19U	Grounding bus bar for threaded rails.	Pcs	10	On Request	4-6 wks
RGRB19CN	Grounding bus bar for caged nut rails.	Pcs	10	On Request	4-6 wks
CNBK	Green bonding #12-24 cage nuts and bonding screws, package of 50.	-	10	On Request	4-6 wks
RGTBSG-C	Green thread-forming bonding screw, #12-24" x 1/2".	Pcs	10	On Request	4-6 wks

Part Number	Description	UOM	MOQ	Price	Lead-time
WMPSE	PatchLink™ Horizontal Cable Manager, front and rear, 1 RU.	Pcs	1	On Request	4-6 wks
WMPIE	PatchLink™ Horizontal Cable Manager, front and rear, 2 RU.	Pcs	1	On Request	4-6 wks
WMPFSE	PatchLink™ Horizontal Cable Manager, front only, 1 RU.	Pcs	1	On Request	4-6 wks
WMPFIE	PatchLink™ Horizontal Cable Manager, front only, 2 RU.	Pcs	1	On Request	4-6 wks

Part Number	Description	UOM	MOQ	Price	Lead-time
TLBPIS-V	Tool-less blanking panel, 1 RU, suit cage nut holes.	Pcs	1	On Request	4-6 wks

ES2P PDU Series




E12B01M

Part Number	Apparent Power	Input Current per Phase	Input Phase	Input Plug Type	Outlet Count	Outlet Type	Output Voltage
Basic Series							
E12B01M	3.7	16A	1	IEC C20 200-240V Inlet	12	(12)C13	240
E24B10M	3.7	16A	1	IEC60309 2P+E 6h 16A	24	(20)C13 ; (4)C19	240


Ask your Panduit representative about monitored and switched PDU's and environmental monitoring options.

Pathway Section

3 Pathway Heights





8 Pathway Widths



Part Number	Height In. (mm)	Width In. (mm)	Length In. (mm)	Weight lbs. (kg)
PWB2X4**	2.43 (61.6)	4.63 (117.7)	118.33 (3005.6)	14.0 (6.35)
PWB4X4**	4.43 (112.4)	4.63 (117.7)	118.33 (3005.6)	10.0 (4.581)
PWB2X6**	6.43 (163.2)	6.63 (168.4)	118.33 (3005.6)	10.8 (4.899)
PWB4X6**	4.43 (112.4)	6.63 (168.4)	118.33 (3005.6)	14.5 (6.577)
PWB6X6**	6.43 (163.2)	6.63 (168.4)	118.33 (3005.6)	18.5 (8.391)
PWB2X8**	2.43 (61.6)	8.63 (219.3)	118.33 (3005.6)	11.5 (5.216)
PWB4X8**	4.43 (112.4)	8.63 (219.3)	118.33 (3005.6)	15.2 (6.895)
PWB6X8**	6.43 (163.2)	8.63 (219.3)	118.33 (3005.6)	19.2 (8.709)
PWB2X12**	2.43 (61.6)	12.63 (320.9)	118.33 (3005.6)	14.1 (6.396)
PWB4X12**	4.43 (112.4)	12.63 (320.9)	118.33 (3005.6)	17.9 (8.119)
PWB6X12**	6.43 (163.2)	12.63 (320.9)	118.33 (3005.6)	21.8 (9.888)
PWB2X18**	2.43 (61.6)	18.63 (473.3)	118.33 (3005.6)	17.3 (7.847)
PWB4X18**	4.43 (112.4)	18.63 (473.3)	118.33 (3005.6)	21.2 (9.616)
PWB6X18**	6.43 (163.2)	18.63 (473.3)	118.33 (3005.6)	25.0 (11.340)
PWB2X24**	2.43 (61.6)	24.63 (625.7)	118.33 (3005.6)	20.6 (9.344)
PWB4X24**	4.43 (112.4)	24.63 (625.7)	118.33 (3005.6)	24.5 (11.113)
PWB6X24**	6.43 (163.2)	24.63 (625.7)	118.33 (3005.6)	28.2 (12.791)
PWB2X30**	2.43 (61.6)	30.63 (778.1)	118.33 (3005.6)	23.9 (10.840)
PWB4X30**	4.43 (112.4)	30.63 (778.1)	118.33 (3005.6)	27.8 (12.609)
PWB6X30**	6.43 (163.2)	30.63 (778.1)	118.33 (3005.6)	31.4 (14.243)
PWB2X36**	2.43 (61.6)	36.63 (930.5)	118.33 (3005.6)	26.8 (12.156)
PWB4X36**	4.43 (112.4)	36.63 (930.5)	118.33 (3005.6)	30.7 (13.925)
PWB6X36**	6.43 (163.2)	36.63 (930.5)	118.33 (3005.6)	34.6 (15.964)

NOTE: Replace ** With Color/Coating Option
 BL = Black Powder Coated WH = White Powder Coated
 EZ = Electro Zinc
 Ex: PWB2X4WH = 2" H x 4" W White Powder Coated Baske



90 Degree Intersections

Right angle elbow intersections use Radius Intersection 90 Brackets to protect cables transitioning around corners and can be formed from a single pathway or fabricated using the end of two pathway sections.


Part Number	Description	Qty per 90° Int	Std Pkg Qty
PWBIB^**	Radius Intersection Bracket, Set of 2	1 Bracket	1 pkg
PWBHK**~L	Hardware Kit, 50 pcs	4 Pieces	50 pc kit
PWBSPL**~L	Bolt-On Splice, 50 pcs	See Tables Below	50 pc kit
FR7I6DR	7/16 in. Nut Driver	1 Piece per BOM	1 pc



PWBHK** L
Hardware Kit
Qty = 4




Fabricated 2-Piece Right Angle Intersections




- 1. Cut away large section of sidewall at end of each of the two pathways
 - 2. Overlap to form 90-degree elbow
 - 3. Secure (1pc) PWBIB^** intersection bend fitting using (4pcs) PWBHK**~L
 - 4. Secure bottom surface and back corner using PWBSPL**~L bolt-on splices
- (Reference table to the right)

Fabricated 90° Intersections			
Pathway Width	Sidewall Sections to Remove	Bottom Sections to Remove	PWBSPL**~L Splices on Bottom
4 In.	2	Not Required	1
6 In.	3	Not Required	1
8 In.	4	Not Required	3
12 In.	4	Not Required	3
18 In.	6	Not Required	5
24 In.	7	Not Required	5



- 1. Cut away large section of sidewall at least four cross wire sections from the end
- 2. Cut away one section of bottom pathway wires near middle of area where sidewall section was removed
- 3. Cut away top wire on the side opposite of where sidewall section was removed
- 4. Fold pathway on top of itself to form a 90° elbow
- 5. Secure (1pc) PWBIBx** intersection bend fitting using (4pcs) PWBHK**~L
- 6. Secure bottom surface and back corner using PWBSPL**~L bolt-on splices (Reference table to the right)



Fabricated 90° Intersections			
Pathway Width	Sidewall Sections to Remove	Bottom Sections to Remove	PWBSPL**~L Splices on Bottom
4 In.	5	1	0
6 In.	5	1	0
8 In.	7	1	1
12 In.	9	1	3
18 In.	11	1	4
24 In.	15	1	4

Trapeze Bracket with Center Hole



Part Number	For Pathway Size	Length In. (mm)	Width In. (mm)	Height (Thickness) In. (mm)	PWBHK**-L Hardware Pieces Required	Std. Pkg. Qty.
PWBTB4C**	4" Wide Pathway	8.5 (216)	1.82 (46)	1.13 (29)	2	1
PWBTB6C**	6" Wide & Under	10.5 (266)	1.82 (46)	1.13 (29)	2	1
PWBTB8C**	8" Wide & Under	12.5 (318)	1.82 (46)	1.13 (29)	2	1
PWBTB12C**	12" Wide & Under	16.5 (419)	1.82 (46)	1.13 (29)	2	1
PWBTB18C**	18" Wide & Under	22.5 (571)	1.82 (46)	1.13 (29)	2	1
PWBTB24C**	24" Wide & Under	28.5 (724)	1.82 (46)	1.13 (29)	2	1
PWBTB30C**^	30" Wide & Under	34.5 (876)	1.82 (46)	1.13 (29)	2	1
PWBTB36C**^	36" Wide & Under	40.5 (1,029)	1.82 (46)	1.13 (29)	2	1




Part Number	For Pathway Size	Threaded Rod Pitch in.	Std. Pkg. Qty.
PWBTSBEZ-L	12" Wide & Under	1/2"	50

Cable Exit Accessories

Bottom Waterfalls

- PWBWF5R2** Tool-less Wide Waterfall
- PWBWFNR2** Tool-less Narrow Waterfall

Parallel



Perpendicular



Basket Width	Installation Direction	PWBWF5R2**	PWBWFNR2**
4 In.	Parallel	–	✓
	Perpendicular	–	✓
6 In.	Parallel	–	✓
	Perpendicular	–	✓
8 In.	Parallel	✓	✓
	Perpendicular	✓	–
12 In.	Parallel	✓	✓
	Perpendicular	✓	–
18 In.	Parallel	✓	✓
	Perpendicular	✓	–
24 In.	Parallel	✓	✓
	Perpendicular	✓	–
30 In.	Parallel	✓	–
	Perpendicular	✓	–
36 In.	Parallel	✓	✓
	Perpendicular	✓	–

12" Drop Out Kit



PWBDOK**
(includes all necessary hardware)

Spillover



PWBSPJ2BL
PWBSPJ4BL

Special Note

Optional accessories can be installed to the bottom back exit geometry of spillover fittings using FiberRunner FBC2X2L BL or FBC4X4L BL barbed coupler fittings

PWBSPJ2BL
PWBSPJ4BL

HS2K2** or HS4K4**
(Sold Separately)

FTR2K2** or FTR4K4**
(Sold Separately)



FR24X4YL10 FRBC24X4LYL



FRH4524X4LYL FRT24X4W12LYL



FRSPJ4X4YL FRSPJ2X2YL



CLT150F-X4F

Part Number	Description	UOM	MOQ	Price	Lead-time
Channel 24x4 System					
FR24X4YL10	24x4 FibreRunner™ Channel, 10 foot length.	Pcs	-	On Request	4-6 wks
FRBC24X4LYL	24x4 FibreRunner™ Base Coupler.	Pcs	-	On Request	4-6 wks
Fittings 24x4 System					
FRH4524X4LYL	24x4 FibreRunner™ 45° horizontal turn.	Pcs	-	On Request	4-6 wks
FRT24X4W12LYL	24x4 FibreRunner™ Tee.	Pcs	-	On Request	4-6 wks
Spillovers					
FRSPJ4X4YL	FibreRunner™ Spillover with 4x4 exit.	Pcs	-	On Request	4-6 wks
FRIDT4X4YL	FibreRunner™ Spillover adapter for two corrugated tube exits, requires 4x4 base coupler to attach to spillover.	Pcs	5	On Request	4-6 wks
FRBC4X4YL	4x4 FibreRunner™ Base Coupler.	Pcs	5	On Request	4-6 wks
FRSPJ2X2YL	FibreRunner™ Spillover with 2x2 exit.	Pcs	-	On Request	4-6 wks
FIDT2X2YL	One port spill out to corrugated tube, to suit FRSPJ2X2YL exit.	Pcs	5	On Request	4-6 wks
FBC2X2YL	2x2 base coupler required for attaching FIDT2X2YL to FRSPJ2X2YL.	Pcs	5	On Request	4-6 wks
CLT150F-X4F	Corrugated tube, Yellow, 10 foot length.	Pcs	-	On Request	4-6 wks



HLM-15R0



HLS-15R0



HLT2I-X0



ERT2M-C20

Part Number	Description	UOM	MOQ	Price	Lead-time
HLM-15R0	Hook & loop roll, 4.6m L, 8.4mm W, Black.	Pcs	10	On Request	4-6 wks
HLS-75R0	Hook & loop roll, 22.9m L, 19mm W, Black.	Pcs	10	On Request	4-6 wks
HLS-15R0	Hook & loop roll, 4.6m L, 19mm W, Black.	Pcs	10	On Request	4-6 wks
HLT2I-X0	Hook & loop tie, loop style, 203mm L, 12.7mm W, Black.	Pcs	100	On Request	4-6 wks
TTR-35RX0	Hook & loop roll, 10 roll-pack, low profile, 10.7m L, 19mm W, Black.	Pcs	10	On Request	4-6 wks
TTR-75R0	Hook & loop roll, low profile, 22.8m L, 19mm W, Black.	Pcs	10	On Request	4-6 wks
ERT2M-C20	Elastomeric cable ties, Miniature cross section, 216mm L, tensile strength: 80, bundles up to 60mm, Black.	Pcs	1000	On Request	4-6 wks



ABMM-A-D



ABMT-A-C
ABMT-A-C20



CLT150F-X4F



GEE99F-A-C

Part Number	Description	UOM	MOQ	Price	Lead-time
ABMM-A-D	4-way adhesive backed cable tie mount, mounted with rubber adhesive tape. 19.1mm L, 19.1mm W, White.	Pcs	5000	On Request	4-6 wks
ABM2S-A-D	4-way adhesive backed cable tie mount, mounted with rubber adhesive tape. 25.4mm L, 25.4mm W, White.	Pcs	5000	On Request	4-6 wks
ABMT-A-C	Cable tie mount for use with HLT/HLS Tak-Ty™ Hook & Loop Cable Ties, mounted with a rubber adhesive tape. 28.5mm L, 28.5mm W, Natural.	Pcs	1000	On Request	4-6 wks
ABMT-A-C20	Cable tie mount for use with HLT/HLS Tak-Ty™ Hook & Loop Cable Ties, mounted with a rubber adhesive tape. 28.5mm L, 28.5mm W, Black.	Pcs	1000	On Request	4-6 wks
BEC38-A-L	Adhesive backed bevel entry clip, 9.7mm bundle, Natural.	Pcs	500	On Request	4-6 wks
ACC19-A-C	Adhesive backed cord clip, 4.8mm bundle, Natural.	Pcs	1000	On Request	4-6 wks
CLT150F-X4F	Corrugated loom tubing slit wall measures 38.1mm x 3.0m, Yellow.	Pcs	-	On Request	4-6 wks
GEE99F-A-C	Slotted grommet edging with adhesive lined, 0.099" thickness, Natural.	Pcs	-	On Request	4-6 wks

GLOBALTRONIC INTERTRADE CO.,LTD.

บริษัท โกลบอลโทรนิค อินเตอร์เทรด จำกัด ก่อตั้งขึ้นเมื่อปี 2544 ผู้จัดจำหน่าย
สินค้าอุตสาหกรรม อะไหล่อิเล็กทรอนิกส์ อุปกรณ์ไฟฟ้า และโซลูชันพลังงานโซลาร์
บริษัทมุ่งมั่นส่งมอบสินค้าที่มีคุณภาพ พร้อมบริการที่เชื่อถือได้ เพื่อสนับสนุน
งานจัดซื้อ งานติดตั้ง และงานโปรเจกต์ของลูกค้าในภาคอุตสาหกรรมอย่างต่อเนื่อง

Certifications & Awards

- ✓ ISO 9001:2015 Certification (ระบบบริหารคุณภาพ)
- ✓ GE global Supplier
- ✓ Green Office Award (สำนักงานสีเขียว)
- ✓ TPSC Best Supplier Award
- ✓ SME Excellence Award 2024



“สินค้าคุณภาพ บริการเชื่อถือได้
พร้อมซัพพอร์ตทุกโปรเจกต์อุตสาหกรรม”



HEAD OFFICE

25/13 หมู่ 12 โครงการบึงเกลือแฟคตอรีแลนด์
ตำบลบึงคำพร้อย อำเภอลำลูกกา
จังหวัดปทุมธานี 12150
02 105 4733

WAREHOUSE

- 25/11 หมู่ 12 โครงการบึงเกลือแฟคตอรีแลนด์
ตำบลบึงคำพร้อย อำเภอลำลูกกา
จังหวัดปทุมธานี 12150
- 25/14 หมู่ 12 โครงการบึงเกลือแฟคตอรีแลนด์
ตำบลบึงคำพร้อย อำเภอลำลูกกา
จังหวัดปทุมธานี 12150
- 27 ตำบลบึงคำพร้อย อำเภอลำลูกกา
จังหวัดปทุมธานี 12150

วันจันทร์ – ศุกร์

8:30 – 17:30 น.

วันเสาร์

9:00 – 12:00 น.

ช่องทางติดต่อ

เบอร์โทรศัพท์

085-484-5202



Line : @globaltronic 

Website : www.gti.co.th 